

UPS REPLACEMENT BATTERIES

Manufacturer	UPS Model Number	Qty	Model	L	W	H
APC	BF250, BF280	1				
	SMART UPS AP110	2	TR2.2-12	7.05"	1.38"	2.36"
	SMART UPS AP200	2	TR4.5-6	2.76"	1.85"	3.98"
	BACK UPS BK250B	2	TR4.5-6	2.76"	1.85"	3.98"
	SMART UPS AP250	3	TR4.5-6	2.76"	1.85"	3.98"
	BACK UPS BK280	1	TR7-12	5.91"	2.56"	3.70"
	SMART UPS AP330, AP3	1	TR7-12	5.91"	2.56"	3.70"
	SMART UPS AP360SX, AP360SC	1	TR7-12	5.91"	2.56"	3.70"
	SMART UPS AP370	4	TR4.5-6	2.76"	1.85"	3.98"
	BACK UPS 400B	1	TR7-12	5.91"	2.56"	3.70"
	BACK UPS PRO 420	1	TR7-12	5.91"	2.56"	3.70"
	SMART UPS 420NET	1	TR7-12	5.91"	2.56"	3.70"
	SMART UPS AP450 & 450NET, AP450, 450AT, 520ES, 550ES	2	TR12-6A	5.94"	1.97"	3.74"
	BACK UPS BK450, BK600	2	TR12-6A	5.94"	1.97"	3.74"
	SMART AP600	2	TR7-12	5.91"	2.56"	3.70"
	600R	2	TR7-12	5.91"	2.56"	3.70"
	BACK UPS BK600	2	TR12-6A	5.94"	1.97"	3.74"
	SMART UPS 620NET	1	TR12-12	5.94"	3.86"	3.74"
	SMART UPS AP700 & 700NET	2	TR7-12	5.91"	2.56"	3.70"
	BACK UPS BK700	2	TR7-12	5.91"	2.56"	3.70"
	SMART UPS AP800 & 800RT	4	TR12-6A	5.94"	1.97"	3.74"
	SMART UPS AP900	4	TR12-6A	5.94"	1.97"	3.74"
	BACK UPS BK900	4	TR12-6A	5.94"	1.97"	3.74"
	SMART UPS AP1200, 1200VX	2	TR12-26	6.54"	6.89"	4.92"
	SMART UPS AP1250	2	TR18-12	7.13"	2.99"	6.57"
	BACK UPS BK1250	2	TR18-12	7.13"	2.99"	6.57"
	SMART UPS AP2000/RM/XL/900XL	4	TR18-12	7.13"	2.99"	6.57"
	SU1000XL, SU1000XLNET	2	TR18-12	7.13"	2.99"	6.57"
	BP1400	2	TR18-12	7.13"	2.99"	6.57"
	SUVS1400, SU1400, SU1400NET	2	TR18-12	7.13"	2.99"	6.57"
	SU1400RM, SU1400RMNET	4	TR7-12	5.91"	2.56"	3.70"
	BP650, BP650PNP, BP650C	1	TR12-12	5.94"	3.86"	3.74"
	SUVS650	1	TR12-12	5.94"	3.86"	3.74"
	PERSONAL POWER CELL	1	TR7-12	5.91"	2.56"	3.70"
	RBC2	1	TR7-12	5.91"	2.56"	3.70"
	RBC4	1	TR12-12	5.94"	3.86"	3.74"
	RBC5	2	TR7-12	5.91"	2.56"	3.70"
	RBC6	2	TR12-12	5.94"	3.86"	3.74"
	RBC7	2	TR18-12	7.13"	2.99"	6.57"
	RBC8	4	TR7-12	5.91"	2.56"	3.70"
RBC9	2	TR7-12	5.91"	2.56"	3.70"	
RBC10	1	TR18-12	7.13"	2.99"	6.57"	
RBC11	4	TR18-12	7.13"	2.99"	6.57"	
RBC12	8	TR7-12	5.91"	2.56"	3.70"	
ALPHA TECHNOLOGIES	600T	2	TR18-12	7.13"	2.99"	6.57"
AT&T	1KV UPS	8	TR7-12	5.91"	2.56"	3.70"

BEST TECHNOLOGIES						
BA-7	1	TR75-12A	10.24"	6.65"	8.19"	
BA-11	1	TR10-12B	5.94"	3.86"	3.74"	
BA-12	1	TR30-12	7.72"	5.16"	6.10"	
BA-39	1	TR18-12	7.13"	2.99"	6.57"	
BA-41	1	TR30-12	7.72"	5.16"	6.10"	
BA-46	1	TR75-12A	10.24"	6.65"	8.19"	
BAT-0062	1	TR7-12	5.91"	2.56"	3.70"	
BETA53	1	TR30-12	7.72"	5.16"	6.10"	
MD350VA	1	TR30-12	7.72"	5.16"	6.10"	
MD500VA	1	TR30-12	7.72"	5.16"	6.10"	
MV750VA	1	TR70-12B	10.2	6.65	8.91	
MD1.5KVA	4	TR70-12B	10.2	6.65	8.91	
ME3.1KVA	4	TR70-12B	10.2	6.65	8.91	
FC5KVA	4	TR10-12B	5.94"	3.86"	3.74"	
FD10KVA	10	TR30-12	7.72"	5.16"	6.10"	
FORTRESS 720	2	TR7-12	5.91"	2.56"	3.70"	
FORTRESS 1.7KVA	2	TR30-12	7.72"	5.16"	6.10"	
L1660B	2	TR7-12	5.91"	2.56"	3.70"	
L1950	2	TR12-6A	5.94"	1.97"	3.74"	
PATRIOT 280	1	TR7-12	5.91"	2.56"	3.70"	
PATRIOT 420B	1	TR7-12	5.91"	2.56"	3.70"	

CLARY						
1500VA	4	TR2.2-12	7.05"	1.38"	2.36"	
11250VA	4	TR2.2-12	7.05"	1.38"	2.36"	
PC1240	4	TR2.2-12	7.05"	1.38"	2.36"	
1800VA	4	TR7-12	5.91"	2.56"	3.70"	
SKVA-37589374	8	TR12-26	6.54"	6.89"	4.92"	

COMPUTER ACCESSORIES						
POWER SAVER 800, PROXIMA	2	TR30-12	7.72"	5.16"	6.10"	

CSR						
CSR400	1	TR8-6A	3.90"	2.24"	4.53"	

DATA SHIELD						
400	1	TR12-12	5.94"	3.86"	3.74"	
AT500-01 (w/"small" batteries)	2	TR10-12B	5.94"	3.86"	3.74"	
AT500-02 (w/"large" batteries)	2	TR12-26	6.54"	6.89"	4.92"	
AT800-01 (w/"small" batteries)	2	TR18-12	7.13"	2.99"	6.57"	
AT800-02 (w/"large" batteries)	2	TR12-26	6.54"	6.89"	4.92"	
AT1200-01 (w/"small" batteries)	4	TR18-12	7.13"	2.99"	6.57"	
AT1200-02 (w/"large" batteries)	4	TR12-26	6.54"	6.89"	4.92"	
AT1500	4	TR12-26	6.54"	6.89"	4.92"	
PC200, A	2	TR7-12	5.91"	2.56"	3.70"	
SS400	10	TR1.3-12	3.82	1.69	2.05	
SS700	10	TR2.2-12	7.05"	1.38"	2.36"	
ST360	1	TR7-12	5.91"	2.56"	3.70"	
ST450	2	TR12-6A	5.94"	1.97"	3.74"	
ST550	3	TR12-6A	5.94"	1.97"	3.74"	
ST675, ST900	1	TR18-12	7.13"	2.99"	6.57"	
TURBO 2/300	1					
TURBO 2/450	1					
TURBO 2/625	1					
TURBO2+200	1	TR7-12	5.91"	2.56"	3.70"	
TURBO 2+300	2	TR12-6A	5.94"	1.97"	3.74"	
TURBO 2+450	2	TR7-6	5.94"	1.34"	3.74"	
TURBO 2+520	2	TR12-6A	5.94"	1.97"	3.74"	
TURBO 2+675	1	TR18-12	7.13"	2.99"	6.57"	
TURBO 350 & XT300	1	TR18-12	7.13"	2.99"	6.57"	
XT300	1	TR18-12	7.13"	2.99"	6.57"	
XT350	1	TR18-12	7.13"	2.99"	6.57"	

DELTEC						
PRB250	2	TR4.5-6	2.76"	1.85"	3.98"	
7036	2	TR12-26	6.54"	6.89"	4.92"	
7056-A	10	TR12-26	6.54"	6.89"	4.92"	
POWER RIGHT 1000	2	TR18-12	7.13"	2.99"	6.57"	
POWER RIGHT 1500	2	TR18-12	7.13"	2.99"	6.57"	

DYNATECH						
SPF-550-2 & SPF-560-2	1	TR18-12	7.13"	2.99"	6.57"	

ELGAR	1100SL	8	TR12-6A	5.94"	1.97"	3.74"
	AI600	3	TR12-6A	5.94"	1.97"	3.74"
	AI1200	6	TR12-6A	5.94"	1.97"	3.74"
	IPS400, IPS600	4				
	IPS560	2	TR18-12	7.13"	2.99"	6.57"
	IPS1000	4	TR8-6A	3.90"	2.24"	4.53"
	IPS1100	4	TR12-26	6.54"	6.89"	4.92"
	IPS1200	6	TR12-6A	5.94"	1.97"	3.74"
	IPS1600	4	TR12-26	6.54"	6.89"	4.92"
	SPF100	1	TR18-12	7.13"	2.99"	6.57"
	SPF550-2	2	TR12-26	6.54"	6.89"	4.92"
	SPF1000	4	TR18-12	7.13"	2.99"	6.57"
	SPR350	4	TR8-6A	3.90"	2.24"	4.53"
	SPR401	4	TR8-6A	3.90"	2.24"	4.53"
	SPS1100	4	TR18-12	7.13"	2.99"	6.57"
EMERSON	AP130	8	TR12-12	5.94"	3.86"	3.74"
	AP130	8	TR18-12	7.13"	2.99"	6.57"
	200	2	TR7-12	5.91"	2.56"	3.70"
	300	4	TR12-6A	5.94"	1.97"	3.74"
	600	3	TR7-12	5.91"	2.56"	3.70"
	800	2	TR12-26	6.54"	6.89"	4.92"
	1500	4	TR12-26	6.54"	6.89"	4.92"
	EXIDE ELECTRONICS	PERSONAL POWERWARE 1000	5	TR12-6A	5.94"	1.97"
POWER PLUS PM36B		10	TR7-12	5.91"	2.56"	3.70"
FENNEX	FX2002	2	TR7-12	5.91"	2.56"	3.70"
GEM	UP300	2	TR7-12	5.91"	2.56"	3.70"
GENERAL POWER	GPS-2K-120-61	5	TR12-26	6.54"	6.89"	4.92"
	GPS-3K-120-61	7	TR12-26	6.54"	6.89"	4.92"
	GPS 5006	5	TR7-12	5.91"	2.56"	3.70"
IBM	3624 TELLER	1	TR1.3-6	3.82"	0.94"	2.05"
INTELLIPOWER	525	1	TR5-12	3.54	2.76	3.98
JEFFERSON ELECTRONICS	ENERGY GUARD	1	TR12-6A	5.94"	1.97"	3.74"
JOHNSTON CONTROL	DYNASTY	2	TR30-12	7.72"	5.16"	6.10"
LEADMAN	UPS500	1	TR7-12	5.91"	2.56"	3.70"
MERICH	350	2	TR7-12	5.91"	2.56"	3.70"
	850C	4	TR7-12	5.91"	2.56"	3.70"
	MI400	2	TR12-26	6.54"	6.89"	4.92"
	MI800	4	TR8-6A	3.90"	2.24"	4.53"
NCR	TOWER	1	TR12-6A	5.94"	1.97"	3.74"
	4960499 (500 WATT)	1	TR30-12	7.72"	5.16"	6.10"
PARASYSTEMS MINUTEMAN	MINUTEMAN 250, 450, 600	1	TR7-12	5.91"	2.56"	3.70"
	MINUTEMAN 250XL	2	TR12-6A	5.94"	1.97"	3.74"
	MINUTEMAN 300SS	2	TR7-12	5.91"	2.56"	3.70"
	MINUTEMAN 500 & 550	4	TR12-6A	5.94"	1.97"	3.74"
	MINUTEMAN 600SS, 60022	4	TR7-12	5.91"	2.56"	3.70"
	MINUTEMAN 800	4	TR5-12	3.54	2.76	3.98
	MINUTEMAN 1000	7	TR7-12	5.91"	2.56"	3.70"
	MINUTEMAN 2000	1	TR18-12	7.13"	2.99"	6.57"
	MINUTEMAN 3000 CP	16	TR7-12	5.91"	2.56"	3.70"
	MINUTEMAN 5000CP	16	TR7-12	5.91"	2.56"	3.70"

PERMA POWER	SPS500	3	TR12-6A	5.94"	1.97"	3.74"
POWER CONTROL	ESL 700	2	TR7-12	5.91"	2.56"	3.70"
PTI	UPS SYSTEM	10	TR1.3-12	3.82	1.69	2.05
SAFE	250	2	TR12-6A	5.94"	1.97"	3.74"
	400 & 400A	4	TR8-6A	3.90"	2.24"	4.53"
	450A	4	TR8-6A	3.90"	2.24"	4.53"
	425, 425A, 500 & 500A	4	TR12-6A	5.94"	1.97"	3.74"
	SM800, FES200A	4	TR12-6A	5.94"	1.97"	3.74"
	1200, 1200A, SM1400, SPS1000A	8	TR12-6A	5.94"	1.97"	3.74"
	BP48	4	TR12-26	6.54"	6.89"	4.92"
	FPS200A	4	TR12-6A	5.94"	1.97"	3.74"
	SPS400	1				
	STS200-117	1	TR12-6B	4.25"	2.80"	5.51"
	SPS200	4	TR8-6A	3.90"	2.24"	4.53"
SCOOTER	SPS 500AT	6	TR7-12	5.91"	2.56"	3.70"
SENDON	UPS400W	2	TR7-12	5.91"	2.56"	3.70"
SOLA	310A	1	TR7-12	5.91"	2.56"	3.70"
	400A	2	TR30-12	7.72"	5.16"	6.10"
	800A	2	TR30-12	7.72"	5.16"	6.10"
	1200VA	4	TR10-12B	5.94"	3.86"	3.74"
	056-00450-000-9	2	TR12-6A	5.94"	1.97"	3.74"
	056-10001-7500-1	1				
	056-01-10001-7500	1				
SUPERIOR ELECTRIC	61005	2	TR18-12	7.13"	2.99"	6.57"
TOPAZ	1000	1	TR30-12	7.72"	5.16"	6.10"
	1050	2	TR30-12	7.72"	5.16"	6.10"
	83001	3	TR30-12	7.72"	5.16"	6.10"
	83003	10	TR30-12	7.72"	5.16"	6.10"
	83186-01, 83186-03	3	TR30-12	7.72"	5.16"	6.10"
	83265-01, 83256-03	5	TR30-12	7.72"	5.16"	6.10"
	84126-01	2	TR12-26	6.54"	6.89"	4.92"
	84130-01	2	TR30-12	7.72"	5.16"	6.10"
	84461	1	TR12-26	6.54"	6.89"	4.92"
	84462	2	TR30-12	7.72"	5.16"	6.10"
	84864	1	TR30-12	7.72"	5.16"	6.10"
	84864-01	2	TR12-26	6.54"	6.89"	4.92"
	TRIAD	UPS 600	6	TR7-12	5.91"	2.56"
UPS 300/600-010		3	TR7-12	5.91"	2.56"	3.70"

IPP-LITE BC MODEL SERIES:						
200,200A	2	TR12-6A	5.94"	1.97"	3.74"	
200/10	2	TR12-6A	5.94"	1.97"	3.74"	
200/28	1	TR12-26	6.54"	6.89"	4.92"	
205/205A	1	TR7-6	5.94"	1.34"	3.74"	
250A (LUNCHBOX)	3	TR7-12	5.91"	2.56"	3.70"	
250B (6 PACK)	1	TR7-12	5.91"	2.56"	3.70"	
250B (LITER)	2	TR4.5-6	2.76"	1.85"	3.98"	
250INT/230	1	TR7-12	5.91"	2.56"	3.70"	
275 (LUNCHBOX)	3	TR7-6	5.94"	1.34"	3.74"	
325	1	TR12-26	6.54"	6.89"	4.92"	
325A	2	TR7-12	5.91"	2.56"	3.70"	
350	3	TR7-6	5.94"	1.34"	3.74"	
375	3	TR7-6	5.94"	1.34"	3.74"	
400A (4 OUTLET)	3	TR7-6	5.94"	1.34"	3.74"	
400B (6 PACK)	1	TR7-12	5.91"	2.56"	3.70"	
400INT	1	TR7-12	5.91"	2.56"	3.70"	
400LAN (ORIGINAL)	3	TR7-6	5.94"	1.34"	3.74"	
400LAN (LATER)	3	TR4.5-6	2.76"	1.85"	3.98"	
425FC,B	1	TR12-26	6.54"	6.89"	4.92"	
425INT/230	3	TR12-6A	5.94"	1.97"	3.74"	
450, A, B, LAN	1	TR12-26	6.54"	6.89"	4.92"	
450D, LAN	3	TR12-6A	5.94"	1.97"	3.74"	
500, LAN	3	TR12-6A	5.94"	1.97"	3.74"	
500A, LAN	3	TR7-6	5.94"	1.34"	3.74"	
500B,LAN	1	TR7-12	5.91"	2.56"	3.70"	
OR	1	TR7-6	5.94"	1.34"	3.74"	
500/230	3	TR7-6	5.94"	1.34"	3.74"	
BC500INT	2	TR12-6A	5.94"	1.97"	3.74"	
600, A, LAN, NOV	3	TR12-6A	5.94"	1.97"	3.74"	
600B, LAN	3	TR12-6A	5.94"	1.97"	3.74"	
600INT	3	TR12-6A	5.94"	1.97"	3.74"	
600B/230	3	TR12-6A	5.94"	1.97"	3.74"	
600SA	1	TR18-12	7.13"	2.99"	6.57"	
675FCB	1	TR40-12	7.76"	6.54"	6.85"	
675FCB	1	TR75-12A	10.24"	6.65"	8.19"	
750A, LAN	1	TR40-12	7.76"	6.54"	6.85"	
750B, LAN	1	TR12-26	6.54"	6.89"	4.92"	
750D, LAN	1	TR12-26	6.54"	6.89"	4.92"	
750/230	1	TR70-12B	10.2	6.65	8.91	
750INT	1	TR18-12	7.13"	2.99"	6.57"	
800LAN	1	TR12-26	6.54"	6.89"	4.92"	
900LAN	1	TR30-12	7.72"	5.16"	6.10"	
900B, LAN	1	TR12-26	6.54"	6.89"	4.92"	
900INT	1	TR12-26	6.54"	6.89"	4.92"	
1000FC, B	1	TR75-12A	10.24"	6.65"	8.19"	
1000/230	1	TR30-12	7.72"	5.16"	6.10"	
1000LAN (PLASTIC)	1	TR30-12	7.72"	5.16"	6.10"	
1200(ALL)	1	TR70-12B	10.2	6.65	8.91	
1250LAN (METAL)	1	TR40-12	7.76"	6.54"	6.85"	
1250LAN (PLASTIC)	1	TR30-12	7.72"	5.16"	6.10"	
1250LAN, INT	1	TR30-12	7.72"	5.16"	6.10"	
BC1565	4	TR12-6A	5.94"	1.97"	3.74"	
2000 (1BP260)	2	TR75-12A	10.24"	6.65"	8.19"	
4000 (2BP260)	4	TR75-12A	10.24"	6.65"	8.19"	

BC PERSONAL : SERIES - '95 ERA	200	2	TR4.5-6	2.76"	1.85"	3.98"
	280	2	TR4.5-6	2.76"	1.85"	3.98"
	420	1	TR7-12	5.91"	2.56"	3.70"
	500	1	TR12-6A	5.94"	1.97"	3.74"
	BC INTERNET 450	1	TR7-12	5.91"	2.56"	3.70"

BC PRO SERIES (REG. INT. X) - '95 SERIES	450	1	TR7-12	5.91"	2.56"	3.70"
	550	2	TR12-6A	5.94"	1.97"	3.74"
	675	2	TR12-6A	5.94"	1.97"	3.74"
	850	3	TR12-6A	5.94"	1.97"	3.74"
	1050	4	TR12-6A	5.94"	1.97"	3.74"
	1400	5	TR12-6A	5.94"	1.97"	3.74"

OMNIPower SERIES:	450 (ALL)	1	TR12-26	6.54"	6.89"	4.92"	
	500LAN	2	TR12-6A	5.94"	1.97"	3.74"	
	600LAN	1	TR12-26	6.54"	6.89"	4.92"	
	600B, LAN	2	TR7-12	5.91"	2.56"	3.70"	
	600/230	2	TR12-6A	5.94"	1.97"	3.74"	
	750LAN (METAL)	1	TR40-12	7.76"	6.54"	6.85"	
	750LAN (PLASTIC)	1	TR12-26	6.54"	6.89"	4.92"	
	750A, LAN	1	TR18-12	7.13"	2.99"	6.57"	
	750B, LAN	1	TR12-26	6.54"	6.89"	4.92"	
	900LAN (METAL)	1	TR40-12	7.76"	6.54"	6.85"	
	900LAN (PLASTIC)	1	TR30-12	7.72"	5.16"	6.10"	
	900A, LAN	1	TR12-26	6.54"	6.89"	4.92"	
	900B, LAN	1	TR12-26	6.54"	6.89"	4.92"	
	1200	1	TR70-12B	10.2	6.65	8.91	
	1250 (METAL)	1	TR40-12	7.76"	6.54"	6.85"	
	1250 (PLASTIC)	1	TR30-12	7.72"	5.16"	6.10"	
	1250A, LAN	1	TR30-12	7.72"	5.16"	6.10"	
	1250B, LAN, INT	1	TR30-12	7.72"	5.16"	6.10"	
	1350LAN	1	TR70-12B	10.2	6.65	8.91	
	1600	2	TR30-12	7.72"	5.16"	6.10"	
	2000LAN	2	TR70-12B	10.2	6.65	8.91	
	2000A	2	TR30-12	7.72"	5.16"	6.10"	
	OMNIPRO SERIES - (REG, INT, X) - '95 ERA	280	2	TR4.5-6	2.76"	1.85"	3.98"
		450	1	TR7-12	5.91"	2.56"	3.70"
		675	2	TR12-6A	5.94"	1.97"	3.74"
		850	3	TR12-6A	5.94"	1.97"	3.74"
		1050	4	TR12-6A	5.94"	1.97"	3.74"
1400		5	TR12-6A	5.94"	1.97"	3.74"	
SMART SERIES - (REG, INT, X) - '94 ERA:	250	2	TR4.5-6	2.76"	1.85"	3.98"	
	400	1	TR7-12	5.91"	2.56"	3.70"	
	500	21	TR12-6A	5.94"	1.97"	3.74"	
	600	3	TR12-6A	5.94"	1.97"	3.74"	
	750	3	TR12-6A	5.94"	1.97"	3.74"	
	900	4	TR12-6A	5.94"	1.97"	3.74"	
	1250, RM	6	TR12-6A	5.94"	1.97"	3.74"	
	2000	2	TR30-12	7.72"	5.16"	6.10"	
SMART SERIES - : (REG, INT, X) - '95 ERA	280	2	TR4.5-6	2.76"	1.85"	3.98"	
	450	1	TR7-12	5.91"	2.56"	3.70"	
	675	3	TR12-6A	5.94"	1.97"	3.74"	
	850	4	TR12-6A	5.94"	1.97"	3.74"	
	1050	4	TR12-6A	5.94"	1.97"	3.74"	
	1400	6	TR12-6A	5.94"	1.97"	3.74"	
	2000	2	TR30-12	7.72"	5.16"	6.10"	
	3000	2	TR30-12	7.72"	5.16"	6.10"	
	SMART SERIES - (INT, RM/XL) - '94 - '95 ERA	750RM	3	TR12-6A	5.94"	1.97"	3.74"
850RM		3	TR12-6A	5.94"	1.97"	3.74"	
1250RM		6	TR12-6A	5.94"	1.97"	3.74"	
1250XL		2	TR30-12	7.72"	5.16"	6.10"	
1400RM		6	TR12-6A	5.94"	1.97"	3.74"	
2000XL		2	TR30-12	7.72"	5.16"	6.10"	
2000RM		2	TR30-12	7.72"	5.16"	6.10"	
2000RE/XL		2	TR30-12	7.72"	5.16"	6.10"	
2200XL INT		2	TR30-12	7.72"	5.16"	6.10"	
SMART DATACENTER:	3000	3	TR30-12	7.72"	5.16"	6.10"	
	5000	3	TR30-12	7.72"	5.16"	6.10"	
MISC TMC:	CP350	2	TR7-12	5.91"	2.56"	3.70"	
	TE450	1	TR75-12A	10.24"	6.65"	8.19"	
	TE300	3	TR12-6A	5.94"	1.97"	3.74"	
	TE600	1	TR30-12	7.72"	5.16"	6.10"	
	TE700	1	TR30-12	7.72"	5.16"	6.10"	

UNISON	DP400	4	TR5-12	3.54	2.76	3.98
	DP600	4	TR5-12	3.54	2.76	3.98
	DP800	5	TR5-12	3.54	2.76	3.98
	DP1000	6	TR5-12	3.54	2.76	3.98
	MPS1200	5	TR7-12	5.91"	2.56"	3.70"
	MPS1200A	4	TR7-12	5.91"	2.56"	3.70"
	MPS1500	6	TR7-12	5.91"	2.56"	3.70"
	MPS2000	8	TR12-6A	5.94"	1.97"	3.74"
	PS4.5A	2	TR5-12	3.54	2.76	3.98
	PS6.0A	2	TR7-12	5.91"	2.56"	3.70"
	PS8.0	2	TR7-12	5.91"	2.56"	3.70"
	PS9.0A	4	TR12-6A	5.94"	1.97"	3.74"
	<hr/>					
UNISYS	UPS912-16	2	TR12-26	6.54"	6.89"	4.92"
<hr/>						
UPSONIC	PCMIGHT 25	1	TR5-12	3.54	2.76	3.98
	PCMIGHT 26	1	TR7-12	5.91"	2.56"	3.70"
	PCMIGHT 55	2	TR7-12	5.91"	2.56"	3.70"
	PCMIGHT 80	4	TR12-6A	5.94"	1.97"	3.74"
	LAN 75A	2	TR12-6A	5.94"	1.97"	3.74"
<hr/>						
ZAPOTEK	RX-501N	4	TR7-12	5.91"	2.56"	3.70"